

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY 401 M Street, S.W. WASHINGTON, D.C. 20460

Paperwork Reduction Act Notice: The public reporting burden for this collection of information is estimated to average 0.25 hours per response for registration activities and 0.25 hours per response for reregistration and special review activities, including time for reading the instructions and completing the necessary forms. Send comments regarding the burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden to: Director, OPPE Information Management Division (2137), U.S. Environmental Protection Agency, 401 M Street, S.W., Washington, DC 20460. Do not

| send the form to this address.  DATA MATRIX  |  |             |  |        |                           |  |  |  |  |
|--|--|-------------|--|--------|---------------------------|--|--|--|--|
|  | DATAN  | IAIKIA      |  |        |                           |  |  |  |  |
| Date January 22, 2020  Applicant's/Registrant's Name & Address  Maxunitech North America, LLC  853 Valparaiso Ave.  Menlo Park, CA 94025 |  |             | EPA Reg No./File Symbol 95009-xx         |        | Page 1 of 3               |  |  |  |  |
|  |  |             | Product  Maxunitech Carfentrazone 1.9 EW |        |                           |  |  |  |  |
| Ingredient carfentrazone-ethyl (CAS No.: 128639-02-1; Chemical Code: 128712)   |  |             |  |        |                           |  |  |  |  |
| Guideline Reference Number   | Guideline Study Name   | MRID Number | Submitter                                | Status | Note                      |  |  |  |  |
| PRODUCT SPECIFIC DATA REQUIREMENTS   |  |             |  |        |                           |  |  |  |  |
| 830.1550   | Product Identity and Composition                                     | 51040301    | Maxunitech North America, LLC            | OWN    |                           |  |  |  |  |
| 830.1600   | Description of Materials Used to Produce the Product                 | 51040301    | Maxunitech North America, LLC            | OWN    |                           |  |  |  |  |
| 830.1620   | Description of the Production Process                                |             |  |        | Not Required <sup>1</sup> |  |  |  |  |
| 830.1650   | Description of the Formulation Process                               | 51040301    | Maxunitech North America, LLC            | OWN    |                           |  |  |  |  |
| 830.1670   | Discussion of Formation of Impurities                                | 51040301    | Maxunitech North America, LLC            | OWN    |                           |  |  |  |  |
| 830.1700   | Preliminary Analysis   |             |  |        | Not Required <sup>2</sup> |  |  |  |  |
| 830.1750   | Certified Limits   | 51040301    | Maxunitech North America, LLC            | OWN    |                           |  |  |  |  |
| 830.1800   | Enforcement Analytical Method  | 51040303    | Maxunitech North America, LLC            | PER    |                           |  |  |  |  |
| 830.6302   | Color  | 51040302    | Maxunitech North America, LLC            | OWN    |                           |  |  |  |  |
| 830.6303   | Physical State   | 51040302    | Maxunitech North America, LLC            | OWN    |                           |  |  |  |  |
| 830.6304   | Odor   | 51040302    | Maxunitech North America, LLC            | OWN    |                           |  |  |  |  |
| 830.6313   | Stability to Normal and Elevated Temperatures, Metals and Metal Ions |             |  |        | Not Required <sup>3</sup> |  |  |  |  |
| 830.6314   | Oxidation / Reduction: Chemical Incompatibility                      | 51040302    | Maxunitech North America, LLC            | OWN    |                           |  |  |  |  |
| 830.6315   | Flammability   | 51040302    | Maxunitech North America, LLC            | OWN    | Waiver <sup>4</sup>       |  |  |  |  |
| 830.6316   | Explodability  | 51040302    | Maxunitech North America, LLC            | OWN    | Waiver <sup>5</sup>       |  |  |  |  |
| 830.6317   | Storage Stability  | 51040302    | Maxunitech North America, LLC            | OWN    |                           |  |  |  |  |
| 830.6319   | Miscibility  | 51040302    | Maxunitech North America, LLC            | OWN    | Waiver <sup>6</sup>       |  |  |  |  |
| 830.6320   | Corrosion Characteristics  | 51040302    | Maxunitech North America, LLC            | OWN    |                           |  |  |  |  |
| 830.6321   | Dielectric Breakdown Voltage   | 51040302    | Maxunitech North America, LLC            | OWN    | Waiver <sup>7</sup>       |  |  |  |  |
| 830.7000   | pH   | 51040302    | Maxunitech North America, LLC            | OWN    |                           |  |  |  |  |
| 830.7050   | UV / Visible Absorption  |             |  |        | Not Required <sup>3</sup> |  |  |  |  |
| 830.7100   | Viscosity  | 51040302    | Maxunitech North America, LLC            | OWN    |                           |  |  |  |  |
| Signature  |  | •           | Name and Title                           |        | Date                      |  |  |  |  |
| Ponja  | my Heisbush  |             | Maryanne Geisbush<br>Agent               |        | 1/22/2020                 |  |  |  |  |



Signature

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY 401 M Street, S.W. WASHINGTON, D.C. 20460

Paperwork Reduction Act Notice: The public reporting burden for this collection of information is estimated to average 0.25 hours per response for registration activities and 0.25 hours per response for registration activities, including time for reading the instructions and completing the necessary forms. Send comments regarding the burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden to: Director, OPPE Information Management Division (2137), U.S. Environmental Protection Agency, 401 M Street, S.W., Washington, DC 20460. Do not send the form to this address.

| DATA MATRIX   |  |             |                                  |        |                           |  |  |  |  |
|---|--|-------------|----------------------------------|--------|---------------------------|--|--|--|--|
| Date January 22, 2020   |  |             | EPA Reg No./File Symbol 95009-xx |        | Page 2 of 3               |  |  |  |  |
| Applicant's/Registrant's Name & Address   |  |             | Product                          |        |                           |  |  |  |  |
| Maxunitech North America, LLC   |  |             | Maxunitech Carfentrazone 1.9 EW  |        |                           |  |  |  |  |
| 853 Valparaiso Ave.   |  |             |                                  |        |                           |  |  |  |  |
| Menlo Park, CA 94025  |  |             |                                  |        |                           |  |  |  |  |
| Ingredient carfentrazone-ethyl (CAS No.: 128639-02-1; Chemical Code: 128712)  |  |             |                                  |        |                           |  |  |  |  |
| Guideline Reference Number  | Guideline Study Name   | MRID Number | Submitter                        | Status | Note                      |  |  |  |  |
| 830.7200  | Melting Point / Melting Range  |             |                                  |        | Not Required <sup>3</sup> |  |  |  |  |
| 830.7220  | Boiling Point / Boiling Range  |             |                                  |        | Not Required <sup>3</sup> |  |  |  |  |
| 830.7300  | Density / Relative Density / Bulk Density                                    | 51040302    | Maxunitech North America, LLC    | OWN    |                           |  |  |  |  |
| 830.7370  | Dissociation Constants in Water  |             |                                  |        | Not Required <sup>3</sup> |  |  |  |  |
| 830.7520  | Particle Size, Fiber Length, and Diameter Distribution                       | 51040302    | Maxunitech North America, LLC    | OWN    | Waiver <sup>8</sup>       |  |  |  |  |
| 830.7550  | Partition Coefficient (n-octanol/water), Shake Flask Method                  |             |                                  |        | Not Required <sup>3</sup> |  |  |  |  |
| 830.7560  | Partition Coefficient (n-octanol/water), Generator Method                    |             |                                  |        | Not Required <sup>3</sup> |  |  |  |  |
| 830.7570  | Partition Coefficient (n-octanol/water), Estimation by Liquid Chromatography |             |                                  |        | Not Required <sup>3</sup> |  |  |  |  |
| 830.7840  | Water Solubility: Column Elution Method, Shake Flask Method                  |             |                                  |        | Not Required <sup>3</sup> |  |  |  |  |
| 830.7860  | Water Solubility: Generator Column Method                                    |             |                                  |        | Not Required <sup>3</sup> |  |  |  |  |
| 830.7950  | Vapor Pressure   |             |                                  |        | Not Required <sup>3</sup> |  |  |  |  |
|   |  |             |                                  |        |                           |  |  |  |  |
| 870.1100  | Acute Oral Toxicity – rat  | 51040304    | Maxunitech North America, LLC    | PER    |                           |  |  |  |  |
| 870.1200  | Acute Dermal Toxicity – rat  | 51040305    | Maxunitech North America, LLC    | PER    |                           |  |  |  |  |
| 870.1300  | Acute Inhalation Toxicity – rat  | 51040306    | Maxunitech North America, LLC    | PER    |                           |  |  |  |  |
| 870.2400  | Eye Irritation   | 51040307    | Maxunitech North America, LLC    | PER    |                           |  |  |  |  |
| 870.2500  | Skin Irritation  | 51040308    | Maxunitech North America, LLC    | PER    |                           |  |  |  |  |
| 870.2600  | Skin Sensitization   | 51040309    | Maxunitech North America, LLC    | PER    |                           |  |  |  |  |
|   |  |             |                                  |        |                           |  |  |  |  |
| GENERIC DATA REQUIREMENTS   |  |             |                                  |        |                           |  |  |  |  |
| Maxunitech Carfentrazone 1.9 EW qualifies for Formulator's Exemption for carfentrazone-<br>ethyl generic data requirements. |  |             |                                  |        |                           |  |  |  |  |
|   |  |             |                                  |        |                           |  |  |  |  |

Mayame M Deisbush

Date

1/22/2020

Name and Title

Agent

Maryanne Geisbush

## Data Matrix Endnotes for Maxunitech Carfentrazone 1.9 EW

- <sup>1</sup> **830.1620** Per OPPTS 830.1000, these data are not required for the registration of an end-use product. See 830.1650 for formulation process information.
- <sup>2</sup> **830.1700** This product does not consist solely of the technical grade active ingredient (TGAI) and is not produced by an integrated system, therefore, per OPPTS 830.1700, these data are not required.
- <sup>3</sup> 830.6313, 830.7050, 830.7200, 830.7220, 830.7370, 830.7550, 830.7560, 830.7570, 830.7840, 830.7860 and 830.7950 Per OPPTS 830.1000, these data are not required for the registration of an end-use product.
- <sup>4</sup> **830.6315** Maxunitech North America, LLC requests a waiver from this data requirement because this product does not contain any flammable ingredients and is more than 50% water. Please refer to the Confidential Statement of Formula for Maxunitech Carfentrazone 1.9 EW.
- <sup>4</sup> **830.6316** Maxunitech North America, LLC requests a waiver from this data requirement because none of the components in Maxunitech Carfentrazone 1.9 EW are explosive. Please refer to the Confidential Statement of Formula for Maxunitech Carfentrazone 1.9 EW.
- <sup>5</sup> **830.6319** –The product is not an emulsifiable liquid that will be diluted with petroleum solvents. Therefore, these data are not applicable nor are these data required.
- <sup>6</sup> **830.6321** This product is not proposed for use around electrical equipment. Therefore, these data are not applicable nor are these data required.
- <sup>7</sup> 830.7520 Maxunitech Carfentrazone 1.9 EW is not water insoluble and is not a fibrous material; therefore Maxunitech North America, LLC requests a waiver for this data requirement.